


Codificación: WT-GJS08E5	INFORMACION TECNICA	
Fecha: 18/08/2009		
Hojas 1 de 2		
Asunto	Caja de Empalme Optico Exterior	

Fiber optic splice closure - GJS08E5

SPECIFICATION

Features

- ◆ Self-impact sealing device effectively improve the sealing performance
- ◆ The self-impacted sealing device is easy to operate and re-open while keeping sealed perfectly
- ◆ Advanced internal structure design, high-strength engineering plastic ABS

Performance

◆ Operating condition

Operating temperature: $-40^{\circ}\text{C} \sim +65^{\circ}\text{C}$

Storage temperature: $-25^{\circ}\text{C} \sim +60^{\circ}\text{C}$

Air pressure: 70Kpa \sim 106Kpa

◆ Sealing Performance

Sealing Performance $\geq 150\text{Kpa}/72\text{h}$

◆ Color

Color: black

◆ Dimension

Model	Dimension
GJS08E5	435mm \times Φ 220mm

Codificación: WT-GJS08E5	INFORMACION TECNICA	
Fecha: 05/01/2007		
Hojas 2 de 2		
Asunto	Caja de Empalme Optico Exterior	



Main Configuration

Item	Unit	Quantity				Remark
		12Core	24Core	36Core	48Core	
Closure case shell	SET	1	1	1	1	
Supporting frame	PCS	1	1	1	1	
Fiber splice tray	PCS	1	2	3	4	
Fiber splice tray cover	PCS	1	1	1	1	
Sealing gasket	PCS	1	1	1	1	
Self-impact sealing device	PCS	1	1	1	1	

Accessory Parts

Item	Unit	Quantity				Remark
		12Core	24Core	36Core	48Core	
Heat shrink tube	PCS	12	24	36	48	
Cable Heat shrink tube	PCS	3	3	3	3	RSY36/12-200
Cable Heat shrink tube	PCS	1	1	1	1	RSY70/22-250
Φ3 Protecting Tube	PCS	6	12	18	24	Length=72cm
Nylon Locking Tie	PCS	6	6	15	15	
Velcro	PCS	1	1	1	1	Length=40cm
Branch block	PCS	1	1	1	1	
Jaw	PCS	1	1	1	1	
Metal supporting device	SET	1	1	1	1	
Number Label	SET	1	1	1	1	
Packing List	PCS	1	1	1	1	

