

CAJA DE EMPALMES



DESCRIPCION

CAPACIDAD 144 FO

MODELO

GJSB5H144

CODIGO WT

4274251

Casa Central

Domingo French 831, B1603BNI, Villa Martelli, BS AS, Argentina
Tel:(54) 011-4709-6650
ventas@wiretechsa.com.ar

Sucursal Córdoba

Diaguitas 3138, Córdoba, CP 5008, Argentina
Te:(54) 0351 476-1313 – 0908
sucursalcordoba@wiretechsa.com.ar

1 - CARACTERISTICAS

Model	OPLGJSB5H144
Type	Dome Vertical
Sealing Structure	Heat shrink
Number of Inlet/Outlet ports	4Round + 1Oval
Cable Diameter	4 ports×22mm, 1 port×29mm
Maximum Capacity	144cores splicing
Capacity per Splice Tray	24 fibers
Number of tray	1-6
Housing Material	PP
Sealing Material	Thermoplastic rubber
Assembling method	Pole mounting, wall mounting, manhole
Dimension	445*Ø225mm
Temperature	-40℃~60℃
Voltage resistance	15kv DC
Insulation resistance	≥2*104MΩ
Tensile Force	≥ 800N
IP rate	IP68
Impact strength	16N, 3 time no cracks

2 - ACCESORIOS



Housing (Cover)	1pc	Grounding Wire	1
Splice Tray	Up to 4	Abrasive Cloth	1
Strength member fixer	4	Labeling Paper	1
Housing base (4 port)	1pcs	Wrench	1
Plastic Hoop	1	Pole mounting	1
Valve	1	Sealing Tape	1
Sealing Grommet	4	Insulation Tape	1
Splicer Protective Sleeves	Up to 48	Hanging Hoop	1
Nylon Tie	4	User Manual	1
Heat Shrinkable Fixing Tube	1Set	Aluminum-foil Paper	1